Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





MUV 38 1937

UNITED STATES DEPARTMENT OF AGRICULTURE Bureau of Agricultural Economics

Ag 4 Rat

RATES FOR GINNING AND WRAPPING AMERICAN COTTON, AND RELATED DATA, SEASONS 1928-29 TO 1935-36

U.S Buy Paris

By J. W. Wright, Senior Agricultural Economist and W. B. Lanham, Senior Agricultural Economist

Washington, D. C. January 1937



RATES FOR GINNING AND WRAPPING AMERICAN COTTON, AND RELATED DATA, SEASONS 1928-29 TO 1935-36

By J. W. Wright, Senior Agricultural Economist, and W. B. Lanham, Senior Agricultural Economist

Contents

		1000
	Significance of ginning rates and facilities	. 2 . 2 . 3 . 8 . 8 . 10
	assessing charges	. 19
	Estimated average charges under specified	0-
	systems	•
1	Rate conversion formulae	• 35

Significance of Ginning Rates and Facilities

Under the system of marketing raw cotton that is now most prevalent throughout the Cotton Belt, ginning is an item of direct cost to cotton growers and is an essential step in the preparation of their product for market. For the most part, ginning is performed as a specialized commercial service. The instances in which gins are a part of the farm or plantation equipment are relatively few and are limited to the larger cotton-producing units. For the Cotton Belt as a whole relatively few gins are owned cooperatively by cotton growers. In some areas cotton is sold in the seed by growers, in which case ginning is for the account of the ginners or other parties who have purchased the seed cotton. As a general rule, however, the ginning of cotton in the United States is a public-service function. This being the case, the ginning facilities available and the rates charged for ginning and wrapping cotton are of special significance to growers as well as to the cotton industry in general.

This report is designed primarily to make available a series of data relative to rates charged by ginners for ginning and wrapping services during the seasons 1928-29 to 1935-36, inclusive. The rates at which ginning and related services can be performed on a profitable basis, depend primarily upon the equipment required and the volume of ginning available per unit of gin equipment. The equipment required is influenced by the method of harvesting used and the consequent condition of the seed cotton to be ginned. Policies with respect to rates and services are influenced, to some extent, by type of gin ownership. Since customs and practices of assessing charges vary widely from one section of the Cotton Belt to another, the level of ginning rates in the various producing sections are not directly comparable. Thus an analysis of rates for ginning and wrapping cotton logically involves a consideration of such related subjects as customs and practices of assessing charges for these services, the types and capacity of equipment available, the volume of ginning evailable, the quantities and condition of seed cotton involved per unit of lint cotton and the ownership of the gins. Data concerning these related subjects have therefore been incorporated in this report.

Sources of Data

Data relative to rates charged cotton growers for ginning and wrapping cotton have been collected by the Bureau of Agricultural Economics from ginners each year beginning with the season 1928-29. The data relating to the seasons 1928-29 to 1932-33, inclusive, were obtained in connection with a survey of gin equipment which included most of the gins throughout the Cotton Belt. Data for the seasons 1933-34 and 1935-36 are based on about a 10-percent sample of gins selected to provide a cross-section of the rate situation throughout the Cotton Belt. For the season 1934-35 the data concepts of the Agricultural Adjustment Administration. The data relating to gin ownership and ginning facilities are based on the survey of gin equipment previously referred to, which was made during the season 1931-32 and 1932-33. In certain instances data collected by the Bureau of the Census relating to the season 1935-36 have been used for purposes of comparison.

Customs and Practices of Assessing Charges

Customs and practices of assessing charges for ginning and wrapping cotton vary widely for different sections of the Cotton Belt. Data relative to the extent to which each system of assessing charges has been used during the period 1928-29 to 1935-36 are presented in tables 10 to 17, page 19 to 26.

In the central and western sections of the Cotton Belt, ginning charges usually are assessed on the basis of weight of seed cotton and a separate charge is made for bagging and ties required for wrapping the bales. This system of assessing charges is used exclusively in Oklahoma, Missouri, and New Mexico, and almost exclusively in Arizona and California.

The rate per hundredweight of seed cotton depends, to some extent, upon whether the cotton was harvested by hand picking or by snapping or machine methods. Usually, but not always, there is a differential in the rate between hand-picked cotton and cotton harvested by snapping, the rate being higher in the latter case even though the number of hundredweight of seed cotton ginned per bale of lint is greater. The reasons usually assigned for the differential are: (1) that more elaborate cleaning equipment is required, (2) that the ginning of that type of cotton results in extra wear and tear on gin saws and other regular gin equipment, 1/2 and (3), that additional power is required. All of these increase the cost of providing ginning service for snapped cotton.

In most of the southeastern States it is customary to assess ginning charges at a flat rate per bale which includes bagging and ties. Under this system, an extra charge usually is made for bales exceeding 500-pounds in weight.

Ginning charges in a few of the States are assessed on the basis of weight of ginned lint. This is the prevailing method of assessing ginning charges in Georgia and Louisiana and is used to a minor extent in other parts of the Cotton Belt. Under this system the bale wrappings are sometimes included in the charge. In other cases a separate charge is made for them.

The furnishing of ginning and wrapping services under the toll system (that is, in exchange for a percentage of the seed cotton brought to the gin) is practiced to a limited extent in the southeastern States and to a lesser extent in some of the central cotton-producing States. The use of this method of assessing charges increased materially during the depression years, because in many instances ginners found it necessary if they were to collect for their services. With the return of higher prices for cotton and particularly for cottonseed, the importance of this method has again declined.

Ginning and wrapping services are sometimes performed for cotton growers in exchange for the cottonseed without a specific evaluation of either item in terms of money. In actual practice, these services usually are paid for with the cottonseed but the services are charged for at scheduled rates and the cottonseed is sold to the ginner at a definite price per ton, any difference in amount between the two being made a cash transaction.

Rates for Ginning and Wrapping American Upland Cotton

Average rates charged for ginning in each of the cotton-producing States under the various systems of assessing charges for the seasons 1928-29 to 1935-36, inclusive, are presented in tables 18 to 25, page 27 to 34.

^{1/} Bennett, C. A., and Gerdes, F. L., Care and Maintenance of Gin Saws and Ribs, U. S. Department of Agriculture, Cir. 393, p. 20.

In most of the States, several methods of assessing ginning and wrapping charges are used. In such cases, the method applicable in any given locality depends primarily on local custom. This situation complicates the comparison of the level of ginning rates in various sections. To make such comparisons it is first necessary to convert the rates, as assessed by the various systems, to a common base. This has been done and all rates have been converted to an equivalent rate for a 500-pound gross-weight bale for ginning and wrapping. 2/

Converted average charges for the entire Cotton Belt for ginning and wrapping upland cotton declined from \$5.96 per 500-pound gross-weight bale in 1928-29 to \$4.12 in 1931-32. Since the season 1931-32, rates have increased gradually. They averaged \$5.04 per bale during each of the seasons 1934-35 and 1935-36 (table 1). In most instances, these averages represent a wide

Table 1. - Average farm prices of cotton, average ginning rates, and relative prices and rates, seasons 1928-29 to 1935-36

		Average rate	Relative (p	
Season	Average farm price per pound <u>l</u> /	per 500-pound bels for ginning and wrapping <u>2</u> /	of cotton	Rate per 500- pound bale for ginning and wrapping
	Cents	<u>Dollars</u>	Percent	Percent
1928-29	17.99	5.96	100.0	100.0
1929-30	16.79	5.72	93.3	96.0
1930-31	9.46	5.08	52.6	85.2
1931–32	5.66	4.12	31.5	69.1
1932-33	6.52	4.25	36.2	71.3
1933-34	10.17	4.80	56.5	80.5
1934-35	12.36	5.04	68.7	84.6
1935-36		5.04	61.7	84.6

1/ Annual average for the United States. Agricultural Statistics, U. S. Department of Agriculture, 1936, table 98, p. 76.

range in the rates actually charged by individual gins in the various producing sections. The trends in the level of ginning rates during the period studied have followed the general trends of farm prices of cotton but ginning rates have not fluctuated as widely as cotton prices (fig. 1).

^{2/} Annual average for the United States. Compiled from data obtained from cotton gins.

^{2/} The formulae used for making the conversion of the rates assessed under various systems, to a common base, that is, rate per 500-pound gross-weight bale, are given on page 35.

The converted rates for ginning and wrapping upland cotton for each of the cotton-producing States, as well as the average for all States, for each of the cotton seasons 1928-29 to 1935-36, inclusive, are given in table 2 and are shown graphically in figure 2.

In general, the rates have been higher in the central and western cottonproducing States than in the Southeest throughout the period. Account should be taken, however, of the fact that in most instances the service of ginning in the former group of States requires a larger investment in ginning equipment, particularly in the form of cleaners; that power requirements for operating such equipment are considerably greater than for the simpler systems of ginning equipment usually found in the Southeast; that maintenance costs on gin equipment are greater; and that wages and other items entering into costs of ginning are relatively higher than in the Southeast. The extra equipment permits of harvesting the cotton by methods that are materially cheaper than would otherwise be the case. 3/ Furthermore, a considerable part of the bagging and ties used in the southeastern States are of secondhand materials, 4/ which usually cost ginners somewhat less than the new materials customarily used in other sections of the Cotton Belt.

In those parts of Arizona, New Mexico, and West Texas where pink boll worm control measures are in force, rates charged for ginning include the extra service of sterilizing all cottonseed by steam. In Oklahoma and New Mexico ginning rates are fixed by regulatory authority.

A thoroughly satisfactory comparison of costs to cotton growers for ginning and wrapping services must take into account not only relative costs of harvesting methods employed and the quality of bale covering materials used, but also the quality of the ginning service itself. Sometimes such items as prices paid by ginners for cottonseed and cotton lint as well as other services must be considered.

Under certain competitive conditions ginners have adopted the practice of hauling the grower's seed cotton from the farm to the gin and have absorbed the cost of such hauling in the ginning rate. Usually in such cases growers who haul their own seed cotton to the gin have had a part of the ginning charge remitted. For the purposes of this study the rates used are based on the delivery of the seed cotton to the gin by the grower and necessary adjustments in scheduled rates have been made accordingly.

cultural Economics, U. S. Department of Agriculture. Preliminary Report.

1935. p. 6, table 3. (Mimeographed.)

^{3/} Bennett, C. A., and Gerdes, F. L., Ginning Cotton. U. S. Department of Agriculture, Farmers' Bulletin 1748, pp. 12 - 24. 4/ Wright, J. W., Baggings Used for Covering Cotton Bales. Bureau of Agri-




FIGURE 1.- GINNING RATES AND FARM PRICES OF COTTON (RELATIVE 1928-29), SEASONS 1928-29 TO 1935-36.

DURING THIS PERIOD AVERAGE GINNING RATES HAVE FOLLOWED THE GENERAL TRENDS OF FARM PRICES OF COTTON BUT GINNING RATES HAVE NOT FLUCTUATED AS WIDELY AS COTTON PRICES.




FIGURE 2.- GINNING RATES: STATE AVERAGES, SEASONS 1928-29 TO 1935-36.

THE LEVEL OF GINNING RATES IS RELATIVELY HIGHER IN THE STATES LOCATED IN THE WESTERN PART OF THE COTTON BELT THAN IN THE STATES LOCATED IN THE EASTERN PART OF THE BELT.

ginning and wrapping uplend cotton, by States, seasons 1928-29 to 1935-36 Table 2. - Estimated average charges per 500-pound gross-weight bale for

State	1928-29	1929-30	1930-31	1931-32	1932-33	1933-34	1934-35	1935-36
	Döllars	Dollars	Dollars	Dollars	Dollars	Dollars	Dollers	Dollars
	01, 17), oc 1	_					
	•	Ų	*	•	•	•	•	· ·
Arizona 1/	•			•	•	•	•	•
Arkansas	•	. 00.9	S				•	•
California:	•	7.	0			•	•	•
Florida		0) [- [•	•		•	• (
Georgia	4.24	4.05	3.94				7,94	•
Louisiana	_	<u></u>	00,1	•			• 4	•
Mississippi	6.08	(C)	0		•		•	•
Missouri		· 1	, O	•	•		4	•
New Mexico 1/	7.79	, cu	0					
North Carolina	4	0	3	•				
Oklahoma		8.07	, xo		•			
South Carolina	3.74	3	Q.				•	
Tennessee	•	. N	, 00	•	•	•		
Texas 1/		0	ا ا	•	•		•	
Virginia	•	4.83	4.17 :	3.30	3.07	3.96 :	4.61:	4.50
		7.		1		1		
United States 2/	5.96	5.72	5.08	4.12	4.25 :	14.80	5.04	5.04

1/ Includes service of sterilizing cottonseed in territory where pink boll worm control measures are in Estimates based on data obtained from cotton ginners. 2/ Includes cotton-producing States not listed separately.

Rates for Ginning and Wrapping American-Egyptian Cotton

Because of its long fiber, American-Egyptian (Pima) cotton is ginned on roller gins as distinguished from the saw gins generally used for ginning upland cotton. Rates for ginning American-Egyptian cotton averaged \$17.21 per 500-pound gross-weight bale during the seasons 1928-29 and 1929-30 (table 3). The average rate reached the low point of \$11.06 for the season 1931-32. During subsequent seasons the rate has gradually increased to \$12.72, which was the average for the season 1935-36.

Table 3. - Estimated average rates for ginning and wrapping American-Egyptian cotton, seasons 1928-29 to 1934-35

the second and the second are all the second as a second

Season	:Rate per hundred :Rate per hundred :weight of seed :weight of seed :cotton, including :cotton, not :charge for :including charge :bagging and ties :for bagging and :ties	gross-weight bale, including charge for bagging and
	: <u>Dollars</u> : <u>Dollars</u>	: Dollars
1928-29	0.90	17.21
1929-30		17.21
1930-31	0.75	16.34
1931-32	50	11.06
1932-33	53	11,38
1933-34	.60	12.56
1934-35		: 12.50
1935-36	:	: 12,72

Compiled in the Bureau, of Agricultural Economics from data obtained from ginners.

Seed Cotton Required Per Bale of Lint

In those cases in which the system of assessing ginning charges is based on a rate per hundredweight of seed cotton, the actual cost to growers at a given rate for ginning a standard-weight bale of cotton lint depends upon the ginning outturn, or the number of pounds of seed cotton required to produce the bale of lint, as well as the rate charged.

The ratio of seed cotton to lint varies widely for the various sections of the Cotton Belt. It depends primarily upon the variety of cotton grown and the quantity of extraneous material included with the seed cotton. The latter is determined largely by the method of harvesting used. For hand-picked

cotton the average for all cotton-producing States during the season 1934-35 was 1,423 pounds of seed cotton per 500-pound gross-weight bale (table 4). During the same season the average for snapped cotton was 1,972 pounds, for bollies 2,242 pounds, and for sledded cotton 2,589 pounds. The proportions of the crop falling in the last three categories are relatively small in most cotton-producing States. The quantity of seed cotton required per 500-pound gross-weight bale averaged slightly less in the southeastern States than in other sections of the Cotton Belt.

Table 4. - Estimated average number of pounds of seed cotton required per 500-pound gross-weight bale, by States, season 1934-35

Ctoto	Picked	: Snapped	* The 7.7 % or m	Sledded.
State	cotton	: cotton	Bollies	cotton
:	Pounds	Pounds	: Pounds	Pounds
	*	•	•	
Alabama:	1,357	-	: -	-
Arizona	1,457 1/	•	: 2,145	-
Arkansas	1,509	: 1,911	: 2,073	
California:		-	2,334	****
Florida:	1,494	-	: -	-
Georgia:	1,388	-	: -	-
Louisiana:		: - ,	: - :	***
Mississippi:		: 1,943	; -	-
Missouri:		: 2,121	: 2,583	
New Mexico:		-	: 2,200	-
North Carolina:	1,369		: <u>-</u> :	-
Oklahoma:	1,551	2,116	: 2,414	2,529
South Carolina:	1,403	-	: - :	-
Tennessee:	1,452	: 1,871	: - :	
Texas	1,374	: 1,902	: 2,185	2,678
Virginia:	1,368	-	: -	-
:		1	:	
United States:	1,423	1,972	: 2,242 :	2,589

Compiled in the Bureau of Agricultural Economics from data collected by Agricultural Adjustment Administration.

1/ American-Egyptian cotton 1,912 pounds.

The limited available information 5/ indicates that the ratio of seed cotton to lint varies somewhat from year to year, so the above data should be considered as applicable primarily to the season 1934-35. It is believed, however, that for the period devered in this study of giraing rates, these data are fairly satisfactory for the purposes of this analysis.

5/ McWhorter, C. D., and Ballinger, P. A., Relative Economic Advantages of Harvesting Cotton by Picking and Snapping in Western Oklahoma. Oklahoma Experiment Station Bulletin 227, 1935, pp. 14 - 15.

Capacity of Gin Equipment and Volume of Ginning

A comprehensive appraisal of the adequacy of the facilities available for ginning cotton involves both quantitative and qualitative considerations. 6/ In this study primary consideration is given to capacity of equipment. Adequacy, from the standpoint of quality of ginning service, is only an incidental part of this analysis.

As the basis for an analysis of gin capacity in relation to volume of cotton to be ginned, various units of gin equipment are available but none of them are entirely satisfactory. The usual method, and the simplest one, for estimating the adequacy of ginning equipment in a given area consists of a comparison of the number of ginning plants in the area with the number of bales of cotton to be ginned. Obviously, variations in the number of gin stands per ginning plant and the number, type, diameter, and condition of gin saws per stand make a comparison of this nature somewhat unsatisfactory from the standpoint of determining adequacy of equipment in any given area. Other units of gin equipment available for this purpose are the gin stand and the gin saw. In either case, the number of bales to be ginned per unit of ginning equipment indicates, approximately, the extent to which a given area is supplied with ginning facilities. For this purpose the gin saw is perhaps the most satisfactory unit since most of the gin saws now in use are of standard 12-inch diameter. Volume of ginning per gin plant, per gin stand, and per gin saw have been calculated, by States, for the ceason 1935-36 and are presented in table 5.

Obviously the time factor is important in a consideration of gin capacity in relation to volume of ginning. Unfortunately, data are not available as a basis for calculating volume per gin-saw hour or other combination units of time and equipment.

Average volume of ginning per unit of equipment was greatest in California, Arizona, New Mexico, and Missouri (fig. 3). In North Carolina, South Carolina, and Virginia, the volume of ginning per unit of equipment was relatively small. The situation in the latter group of States, as disclosed by these data, is exaggerated to some extent because the proportion of idle plants is relatively large in those States. The small volume in Oklahoma and Texas is attributable largely to the fact that in these two States the cotton crop for the season to which these comparisons apply was much smaller than normal.

The qualitative aspect of ginning service, as well as the extent, merits some consideration in connection with this phase of the analysis. The available data are not adequate for determining definitely the extent to which relatively high ginning rates have, in actual practice, made it possible for ginners to maintain their equipment in a condition for high quality service; or, vice versa, the extent to which low rates are responsible for 6/Bennett, C. A., and Gerdes, F. L., Ginning Cotton. U. S. Department of Agriculture, Farmers' Bulletin 1748, 1935, pp. 1 - 46.

Table 5. - Cotton production, gin capacity, and average volume of ginning per gin plant, per gin stand, and per gin sew, by States, season 1935-36

						•	
	: Cotton	Gi	n equipm	ment <u>2</u> /		e of ginni t of equip	
States	: produc- : tion	Ginning plants		GIII	<pre>:per :ginning :plant</pre>	:per :gin :stand	:per :gin :saw
	: Bales 1/	<u>Number</u>	Number:			/:Bales 1/	
	:	:	:		:	:	:
Alabama	:1,061,314	: 1,339 :	4,434	326,720	: 793	: 239	: 3.25
Arizona				15,970		: 559	: 7.28
Arkansas	, , , , , , , , , , , ,			311,450		: 208	: 2.75
California					: 3,198	: 618	: 7.74
Florida				9,610		: 197	: 2.77
·Georgia				380,300		: 203	: 2.79
Louisiana			2,369:	177,700		: 235	: 3.13
Mississippi			4.605:	349,960		: 274	
Missouri			, ,	-, -,-	•	323	: 4.16
New Mexico				15,730	, ,	: 354	
North Carolina		1,199:		238,545		177	2.41
Oklahoma		, -,-	4.078:	307,490		: 139	: 1.84
South Carolina		1,434:				: 199	: 2.73
Tennessee	' _ '		1,490 :	111,860		: 212	: .2,83
Texas						: 184	: 2.47
Virginia				, , , , ,	-	: 134	: 1.92
II C Primary of the		The sale of the sa		<u> </u>	•		

U. S. Bureau of the Census.

lack of maintenance of equipment and consequent inferior service. However, when the level of ginning rates for the various cotton-producing States is compared with the percentage of rough-ginned cotton (as in fig. 4 and table 6) some relationship is indicated between level of rates and quality of ginning service. There is a tendency for the percentage of rough-ginned cotton to be high in those States where the level of ginning rates is relatively low. Other factors that may affect this relationship and that cannot be segregated are weather conditions prevailing during the harvesting and ginning season and staple length of cotton ginned. In general, weather conditions are more favorable from the standpoint of harvesting and ginning in those States that show a relatively small percentage of rough-ginned cotton. On the other hand, the longer staple grown in these States increases the difficulty of ginning.

^{&#}x27;1/ Equivalent 500-pound gross-weight bales.

^{2/} Includes idle as well as active gins.

^{3/} Upland cotton only.

^{4/} Saw gins only.




FIGURE 3.- VOLUME OF GINNING PER GIN SAW: STATE AVERAGES, SEASON 1935-36.

With the exception of Texas and Oklahoma, both of which harvested unusually small cotton crops for the season 1935-36, the volume of ginning per unit of gin equipment was largest in the States located in the western part of the Cotton Belt.




FIGURE 4.- GINNING RATES AND PERCENTAGE OF ROUGH-GINNED COTTON, 3-YEAR AVERAGE 1933-34
TO 1935-36.

THERE IS AN APPARENT TENDENCY FOR THE PERCENTAGE OF ROUGH-GINNED COTTON TO BE HIGH IN THOSE STATES WHERE THE LEVEL OF GINNING RATES IS RELATIVELY LOW.

Table 6. - Ginning rates and percentage of rough-ginned cotton, by States, 3-year average 1933-34 to 1935-36

	:Average	ginn	ing	; A	lverage p	oerce	ontage
State	:rate per	_	_		-		
	:gross-we	_			_	_	
	: Dollar	s:	Rank		Percent	<u>t</u> :	Rank
	:	;		:		:	
Missouri	: 6.70	:	1	:	7.97	:	9
Oklahoma	: 6.45	:	2		10.08	:	7
New Mexico	: 6.28	:	3	:	5.99	:	11
Texas	: 6.12	. :	4	;	5.21	:	13
Arizona	: 5.31	. :	5	:	3.71	:	15
Arkansas	; 5.18	;	6	:	5.32	:	12
Mississippi	: 5.17	:	7	:	6.65	:	10
California		. :	8		2.56	:	16
Louisiana		:	9	:	10.68	:	5
Tennessee		:	10	:	4.14	:	14
Florida		:	1.1	:	19.05	:	2
Virginia		:	12	:	10,22	:	6
Georgia			13	:	12.33	:	4
North Carolina			<u> </u>		8.35		8
Alabama	7 7		15	:	14.70		3
South Carolina	-		16		,		í

Based on samples classed for estimating grade and staple of the crops.

Data relative to volume of ginning per ginning plant are available for the seasons 1928-29 to 1932-33 and are given in table 7 in the form of a frequency distribution by volume intervals. Most of the ginning plants in Alabama, Arkansas, Florida, Georgia, Louisiana, North Carolina, South Caroline, and Virginia ginned fewer than 1,000 bales per season during the period under consideration. Relatively few gins in these States as well as in Oklahoma ginned in excess of 2,000 bales per season. None of the gins operating in Virginia during that period ginned as many as 2,000 bales per season. In Arizona, California, New Mexico, and Missouri very few gins had a volume smaller than 1,000 bales per season whereas a relatively large proportion of the ginning plants in these States had a volume of ginning in excess of 2,000 bales per season.

Ownership of Cotton Gins

It is not possible to demonstrate by statistical means that rates charged for ginning service are directly affected by the type of ownership of the gins, but it is obvious that policies with respect to rates and services are influenced to some extent by the related interests of gin owners. In some instances, the rates actually charged are based not on costs of performing the service but on the interests of the owners with respect to side-line activities such as the purchase of cottonseed and cotton lint or the ownership of the seed cotton to be ginned.

Table 7. - Volume of ginning per gin plant: Percentage distribution by specified volume intervals, by States, 5-year period 1928-29 to 1932-33

တ	Pct.				15.5									9	100	<i>∓</i> .	≠.		2		100.0	
Ď	<u></u>	••	••	••	:-		••	••	••	••	••	••	••	••	••	••	••	••	••	••		
Va.	Pct.	39.	33.	15	ئى	.	۲.	۲.	1	1	1	1	ı	1.	1	1	1	1	1	,	100.0:	
Tex.	٠٠ ٠٠	3.3:	9.6	4.2	14.4:	5.7:	5.6	9.6	8.2:	, , , ,	2.7:	1.5:	1.8:		9.	ij			1	••.	100.0:	
	Pot	<u></u>	::	 M	::	::	: /	 ض		•• ÷	**	:	:-	∷	1:	ä	::	3:	••	••		
Tenn.	Pct.	ณ่	9	15.	20.1	16.	10.	ٷ	છે.	လံ	ณ๋	٦,	٦.	•	i,	•	•	•	1		100.0:	
	٠٠ ٠٠	5.4:	6.8:	3.6:	15.9:	0.6:	0.0	5.7:	±.0.	2,1:	2.6:	9.	1.0:	₩.	ä	તું.	;;	∷	••	••	100.0:	
တ	입	••	••		1: 1	••	••	••	••	••	••	ö	::	 		oi.	••	3:	1:	••		
okla.	Pct.		o	9	17.	5	ู้ ณ่			•		•		•	•	•	ŧ	•	•		100.0:	
	۰۰ ۰۰	•		•	0.0		•			•	.6	₩.	.3:	.3:	ä	••	•••	i.	••	••	100.0:	
N .	. Pet	7	••	••	••	••	••	••	••	••	••	••		••	••	•	•	••	•	••		
N.W.	Pct.	ı		•	2.3			•	•			•		•	•	1	ı	4.7	ı		100.01	
•• •• ••	•• ••	;; ;	; †:	5.3:	.3:	3.3:		.6:	.5:	80	.6:	8	80	F. 1:	2.1:	≓	∷	.7:	••	••		1
Mo.	Pet				: 10	••	••			••			•		••			••	1	••	100	
Miss.	Pct.				15.2											Ü	≠.	1.1	• 5		100.0: 100.0:	
•	••••				9.								 	••	••	••	.3:	••	.3:	••		
La	Pct	9	17	古	7	12	古	20	⇉	3	-	7		ı	1	ı				•	100.0:	
Ga.	Pot.	12.5:	16.1:	17.1:	16.7:	10.6:	8.5	6.2	4.8:	2.4	1.9:	1.4:	9.	.7	તા	ä	i.	i.	1	••	0.00	
•• •• ••	<u></u>							••			2.0:	ö	••	••	••	••		••	-•	••	0: 1	
Fla.	Pct.	26.0:	22	22	16.0:	તાં	તાં	1	Ö «N	1	ด ๋	≟	1	1	•	8	٥ د د	1	1		100	
.1f.	٠٠ ٠٠			1.3:	1.3:	3.8:	1.3:	2.6:	2.6:	1.5:	7.7:	5.1:	5.1:	7.7:	3.8:	2,6:	6.4:	25.7:	1,5:	••	0.00	. 8
: :Calif	Pct.	7:	ö	3:	9:	9:	iç.		:		1:	5:		<u></u>	7:	iç.	:-	:	, ,	••	0: 10	n gir
Ark.	Pct.	100	17.	16.	†	10.	80	9	ις.	તાં	ณ๋	i.	i,	•	•	•	•	•	•		100	survey of cotton gins.
Ariz.:	٠٠ ٠٠	3.2:	3.2:		3.2:	7.9:	9.6	11.1:	6.3:	9.5:	•	4.8:	7.9:	3.2:	3.2:	3.2:	1.6:	7.9:		••	0.0	of
Ar	. Pet		ö	;;	3:	3:		3: 1	:	ä	ö	•• ••	3:	:-	**	3:	: :	 	•	••	0: 10	ттер
Ala.	Pct.	9	16.(17.	13.	12.	10.	9	,	3.	3.	1.	1.	٠	•	•	•	•			100,0: 100,0: 100,0: 100,0: 100,0: 100,0:	
	•• ••	•	•	••	•	0	0	0	0	0		0	0	0					H	••	•	from
Volume of ginnings (bales per season)		•	:	750	000	1,250	1,50	1,75	8,8	2,25	2,50	2,75	3,00	3,25	3,50	3,75	8,4	5,000	l over		• • •	Data obtained from 1/ 4-year average.
Volume ings (1		Under 251	to 500	to 75	to 1,	1 to	1 to	1 to	1 to	1 to	1 to	1 to	1 to	1 to	1 to	1 to	1 to	i to	1 and		Total	obte-
ginning per		Unde	251	501	751	1,001	1,25	1,50	1,75	2,00	2,25	2,50	2,75	3,00	3,251	3,50	3,75	4,00	5,001			Data 1/4

For the Cotton Belt as a whole, almost one-half of the cotton gins are individually owned, about one-fourth are owned by partnerships, one-fourth are owned by corporations, and a minor portion are owned cooperatively by cotton growers (table 8). This general situation did not change materially from 1932 to 1935, the two years for which data relative to ownership are available.

The situation with respect to gin ownership within some of the individual cotton-producing States varies materially from that of the Cotton Belt as a whole. Almost three-fourths of the gins in Florida are individually owned. Individual ownership also predominates in Alabama, Georgia, South Carolina, and Virginia. In Mississippi and North Carolina individual ownership of gins increased substantially from 1932 to 1935. There are relatively few individually owned gins in Arizona, California, Oklahoma, and Missouri.

Almost one-half of the gins in Tennessee are cwned by partnerships. This type of ownership is less prevalent in other States. It increased somewhat between 1932 and 1935 in Arizona, Mississippi, Missouri, and New Mexico and decreased materially in Louisiana.

The corporation type of gin ownership predominates in Arizona, California, New Mexico, and Oklahoma. Relatively few gins are owned by corporations in the southeastern States. For the Cotton Relt as a whole this type of ownership declined somewhat in importance from 1932 to 1935.

From the standpoint of number of plants, the cooperative ownership of gins by cotton growers is of minor importance for the Cotton Belt as a whole, but this type of ownership is found to some extent in most of the cotton-producing States and is rather prevalent in the western States, particularly Oklahoma, New Mexico, Arizona, and Texas. Furthermore, the proportion of total ginnings handled by cooperatively owned gins is relatively important in some of these States because of the high average volume of ginning per plant under this type of ownership. For example, only about 11 percent of the gins in Oklahoma are cooperatively owned but the cooperative plants gin approximately 20 percent of the cotton grown in that State. If For the Cotton Belt as a whole, the cooperative type of ownership declined slightly between 1932 to 1935. However, it is not known to what extent gins which in reality are owned cooperatively by cotton growers but which have been incorporated, are reported by the Bureau of the Census under the category of "corporation owned".

Ballinger, R. A., and Soxman, R. C., Some Economic Problems of Cotton Gins In Oklahoma. Oklahoma Experiment Station Bulletin No. 231, 1936, table 10, p. 27.

Table 8. - Types of gin ownership: Percentage distribution, by States, season 1932-33 and 1935-36

Type of ownership: Ala. : Ariz.: Ark. : Calif.: Fla. :	Ala.	Ariz.:	Ark.	Salif.	Fla.	дв. 	La.	Miss.	Mo.:	N. M.	,	Okla.:		Tenn.:	Tex.	Va. :	u. s.
	Pet.	Pot.	Pct. : Pct.	Pct.	Pct.	Pct.	Pet.	Pet.	Pot.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1932-33 1/	ת ת	,	, o	ι. ς		л 4	: 1. Cul	148 O:	יי דר	ָה ס	भू द	. בי וכ	60,9		38.1	75.6	43,9
Partnership	29.8	6.3	29.0	6.3	20.03		25.7:	20.4:	16.8:	6.8	30.05	15.8:	19.9:	. 5.3:	28.7:	35.2:	26.4
Corporation:	14.2:	81.0:	21.6:	87.5:		18.2		29.1:	.9°6t	52.3:	19.0:	51.5:	17.9:		28.3:	9.2:	26.0
Cooperative:	.2.	9.5:	2.3:	1.2:	1	1.0:	1	1.2:	.6.	25.0:	80	11.4:	1.3:		4.9 2/:	1	3.5
Other	1	1	1.2:	1	1	1	1	1.3:	8.4:	1	1	1	1	6.2:	1	1	5
Total	100.0:	100.0: 100.0: 100.0: 100.0: 100.0:	100.0:	100.0:	100.0:	100:0:	100.0:	100.0:	100.0:	100.0:	100.0:	100.0:	100.0:	100.0:	100.0:	100.0:	100.0
•	••	••	••	••		••	7.	••	••	••.	1	••	••	••	••	••	
1935-36 3/ :	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	* 1	
Individual	57.3:	t.0:	148.6:	12.0:		54.8:	45.0:	53.3:	31.0:	13.0:	56.1:		65.1:	38.1:	38.7:	55.0:	47.5
Partnership:	30.5	16.0:	30.8:	;0°†	24.6:	27.0:	19.9:	2 ⁴ .7:	29.1:	19.6:		17.3:	19.2:	∴. ‡	29.0:	33.3:	26.9
Corporation:	11.3:	72.0:	19.5:	81.3:	8.2:	17.2:	33.5:	20.3:	39.9:	56.5:			15.6:	16.6:	26.2:	11.7:	22.6
Cooperative:	:/:	8.0:	1.1:	2.7:	1	.6.	1:5:	1.4:	1	10.9:			.1:	9.	5.9	1	2.8
Other	å.	1	.3:	1	1	.1:	.1:	.3:	1	1	.2:	.1:	1	1	.2.	1	ر. د
Total: 100.0: 100.0: 100.0: 100.0: 100.0: 100.0: 1	100.0:	100.0:	100.00:	100.0:	100.0:	100.0:	100.0:	.00.0: 100.0: 100.0: 100.0: 100.0:	100.0:	100.0:	100.0:	100.0:	100.0: 100.0:	100.0:	100.0:	100.0:	100.0

1/ Data obtained from a survey of cotton gins.
2/ According to data furnished by the Cooperative Division, Farm Credit Administration.
3/ U. S. Bureau of the Census.

Summary

The ginning of cotton is performed primarily as a commercial service. It is an essential step in the preparation of the cotton grower's product for market. As such, rates charged for ginning represent a significant item of cost to growers.

Customs and practices in assessing charges for ginning and wrapping cotton vary widely for different sections of the Cotton Belt. In the central and western sections, the charges usually are assessed on the basis of the weight of the seed cotton involved, a separate charge per bale being made for bagging and ties. The rate per hundredweight of seed cotton is usually higher for cotton harvested by snapping than for picked cotton. It is customary in the Southeast to make a flat charge per bale for ginning and wrapping. The prevailing method of assessing ginning charges in Georgia and Louisiana is on the basis of weight of lint cotton. This system is used to a limited extent in other States in the central and eastern part of the Belt. The "toll" system of ginning is used to a very limited extent in some of the southeastern and central cotton-producing States.

In view of the diversity of methods of charging for the services of ginning and wrapping cotton, it is not feasible to compare the level of rates in different States or localities without first converting the rates charged under the various systems to a common base. In this study, rates have been converted to an equivalent rate for ginning and wrapping a 500-pound gross-weight bale.

Average charges for the entire Cotton Belt for ginning and wrapping upland cotton declined from \$5.96 per 500-pound gross-weight bale in 1928-29 to \$4.12 in 1931-32. Since then, rates have increased gradually. They averaged \$5.04 per bale during the seasons 1934-35 and 1935-36.

In general, rates have been higher in the central and western cottonproducing States than in the Southeast during the period for which data are available. But the services performed by ginners are not entirely comparable for the various areas.

Rates for ginning and wrapping American-Egyptian cotton averaged \$17.21 per 500-pound gross-weight bale for the season 1928-29 and 1929-30. The rate declined to \$11.06 per bale for the season 1931-32. During later seasons the rates for ginning this type of cotton have gradually increased. The average rate was \$12.72 for the season 1935-36.

The quantity of seed cotton required for a standard-weight bale of lint varies widely for the different sections of the Cotton Belt. It depends primarily upon the variety of cotton grown and the method of harvesting used. For hand-picked cotton the average for the season 1934-35 for all cotton-producing States was 1,423 pounds of seed cotton per 500-pound gross-weight bale. The average was slightly less in the southeastern States than for other sections of the Cotton Belt. The average for snapped cotton was 1,972 pounds, for bollies 2,242 pounds, and for sledded cotton 2,589 pounds.

In general, the percentage of rough-ginned cotton is higher in those States in which the level of ginning rates is relatively low. It is not known to what extent this situation is attributable to inadequate or poorly maintained gin equipment, to weather conditions, or to other factors.

For the Cotton Belt as a whole approximately one-half the cotton gins are individually owned, about one-fourth are owned by partnerships, one-fourth are owned by corporations, and a relatively few are owned cooperatively by, cotton growers. The individual type of ownership predominates in the Southeast and the corporation type in some of the western States, but in other sections of the Cotton Belt there is an absence of any definite pattern with respect to gin ownership. The cooperative type of gin ownership is found to a limited extent in most of the cotton-producing States but is more prevalent in Oklahoma, New Mexico, Arizona, and Texas than in other States.

Table 10. - Proportionate use of special systems of assessing charges for ginning and wrapping upland cotton, by States, season 1928-29

				no																			
	ties	Toll per	CWt.	seed cotton	Pct		1	1	1	ı	•	2.3	1	1	1	ı	1,2	1	1	ا 8	1	1.6	i.
	1 1	•• •• ••	1	••	ادد	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	0.5:	••	2
	g aı	я	:Sled	ded:	Pet		•	•	•	•	•	•	•	•	•	'	•	•	1	ı	o		
	gin	cotton		98	ادد	••	••	••	••	••	••	••	••	••	••	••	••		••	••	•••	••	••
	ba	Per cwt.	nap	and bollies	Pet		1	1	0.2	ı	1	ı	ı	ı	16.8	ı	1	50.	ı	٦.	25.6	ı	13.6
	including bagging and	Per	Picked: Snaps	cotton: and 1/ :bol	•	••	••	••		••	••	••	••	··		••	••		••	••	••	••	••
	clu(ick	L'ét	Pet		1	100.0	78.5	8	1	ı	13.	90.1	83.2	8	ı	49.5	ı	28	149	3.2	42.5
	1 1	п + +			••	••	••		••		••	••	••	••	••	 	••	••	••	••	••	••	••
	not	lint	aps	and bollies	Pet		ı	1	1	1	1	ı	0.1	ı	1	ı	1	ı	1	ı	1.1	1	⊅
898	Ginning charge	cwt.	d:Sr	n ar	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••
har	ch	Per	cke	Lto	Pct.		2.5	1	6.9	ı	1	52.2	85.0	2.3	1	ı	9	1	0.9	₹.9	20.9	1	17.0
0 80	nine		d. Pj	n: co	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	
assessing charges	Gin	Per	Picked: Picked: Snaps	cotton cotton and $\frac{1}{1}$; bol	Pet.		ı	1	1	1	1	ı	1	ı	1	ı	ı	ı	.5	1	1	1	ठा
9886	:		江		••	••	••	••	••	••	••	••	••	••	••	••	••	••	::	••	••	••	••
of	1 1	d	• m	seed	Pet.		1	1	0.1	ı	ı	10.8	ı	۲.	ı	ı	6.2	ı	ı	ņ	ı	± 8°.⊤	1,2
Svstem		Toll			••	••	••	••		••	••	: 10	••	••	••	••	••	••	••	••	••		••
SVS	ties	ton	80	and bollies	Pct.		1	,				,		ı							ો		2/
	pg	cwt.	Snaps	and	M		•	•	•	•	•	•	•	·	•	•	·	•	•	•	col		cal
	15 a	Per seed o		ton:		••	••	••	••	••	••	••	••	••	••	••	••	••	••		0.2:		
	ggi	ā	.Picked:	cotton:	Pct.		•	•	•	•	•	•	•	•	•	•	•	•	•	•	Ö		
	o ba	Per cwt. lint:		88	ادد	••	••	••	••	••	••	••	••	••	••	••	••	••	••	 ગ	0	**	:
	din	ن د	nap	and bollies	Pct.		ı	1	ı	ı	1	1	1	ı	1	ı	1	ı	1	ળો	H	1	
	10170	r c#	ed:S	on:	}	••	••	••	••	••	••	••	••	••	••	••	••	••			•••	••	••
	i j	<u>ө</u>	: Picked: Snaps	cotton and $\frac{1}{1}$	Pct.		ı	1	3.6	1	1	1	1	ı	1	1	1	ı	•	42.1	80	1	1.8
	Ginning charge including bagging and	•• •• ••		0 : 0		••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••
	28	19	Picked: Snaps	and bollies:	Pct.		ı	ı	1	1	ı	1.	1	1	1	ı	1	1	1	9.0	1	1	ગ
	nnir	Per bale	d:Sr	n ar		••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••
	Gi	ည္	cke	cotton and	Pct.		97.5	ı	10.7	1	100.0	34.7	1.7	7.5	1	ŧ	91.7	1	88.3	17.5	ત	86.8	22.5
	11	•• •• ••	Ď,	ັບ	••	••	•	••	**	••	.:1(••	••	••	••	••	:	••	•••	••	••	.:	••
							•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	82
							•	•	•	•	•	•	•	•	•	•	na	•	na	•	•	•	United States: 22.5
		State					•	•	•	ia.	•	•	• ਹ	ppi	•	. 00	rol i	•	roli		•	•	d St
		S					भाष	na	BBB	Corn	da	ria	sien	issi	uri	lexi	1 Ca	10 ma	Ca	9886	•	lnia	ite
							Alabama	Arizona	Arkansas	California	Florida	Georgia	Louisiana	Mississippi	Missouri	New Mexico	North Carolina	Oklahoma	South Carolina	Tennessee	Texas	Virginia	ŭ
1							A	A	A.	O	14	0	H	Z	Z	Z	Z	0	(X)	H	H	2	

Compiled in the Bureau of Agricultural Economics from data collected from ginners. 1/M May include snaps and bollies where a differential rate is not provided for these types of seed cotton. 2/L Less than one-tenth of one percent.

Table 11. - Proportionate use of specified systems of assessing charges for ginning and wrapping upland cotton, by States, season 1929-30

							Svatem of		sing	Assessing charges					And the company of the state of	1
	Ginnin	rg cha	rge inc	Ginning charge including bagging and	bagging	끏	es		Ginn	Ginning charge	rge	t inclu	ling bag	not including bagging and ties	ties	1 1
4	Per bale		Per c	: Per cwt. lint:		Per cwt. seed cotton	Toll	Per	•• •• •	Per cwt	Per cwt. lint:		Per cwt.		Toll	
9 10 10 10	Picked: Snaps	1	Picked Snaps	Spaps	Picked	Picked: Snaps	seed.	Picked	1	Picked: Snaps	naps	Picked: Snaps cotton: and	Snaps	Sled-	seed.	
	: 1/ : bollies: 1/ : bollies: 1/	llies	1/	: bollie	s: 1/		cotton	.: 1/		1/ :	: bollles:	1/	:bollies		cotton	1
	Pot.	Pet.	Pot	Pct.	. Pot.	Pet	Pot.	. Pct.	••	Pct. :	Pet.	Pct.	Pct.	Pct.	Pot.	
	••			••	••	••	••	••	••	••		••	••	••		
Alabama	: 96.3:	1	1	1	1	1	1	::	••	3.7 :	1	1	1	1	1	
Arizona	1	1	1	1	1	1	1	::	••	1	1	: 100.0:		1	1	
Arkansas	: 9.7:	1	3.3	1	1	1	: 0.1	::	••	7.0 :	1	: 79.5:	†π•°0	1	1	
California		1	1	1	1	1	1	::	••	1	1	1000.0	1	1	1	
Florida	: 81.9:	1	1	1	1	1	1	::	**	18.1:	1	1	1	1	1	
Georgia	: 31.6:	1	1	1	1	1	: 10.7	::	••	55.6:	1	1	1	1	2.1	
Louisiana	1.6:	1	1	1	ı 		1	::	••	37.3 :	ઓ	: 11.1	1	1	1	
Mississippi	: 6.8:	1	1	1	1	1	આ	::	••	1.5:	1	: 91.7	1	1	1	
Missouri	1	1	1	1	1	1	1		••	1	1	6.08 :	19.1	1	1	
New Mexico	1	1	1	1	:	1	1	::	••	1	1	: 92.9	7.1	·· ··	1	
North Carolina	: 88.9:	1	1	1	1	1	9.2 :	::	••	2.0:	1	1	1	1	1.5	
Oklahoma		1	1	1			1	::	••	1	1	: 46.5	53.5	1	1	
South Carolina	: 84.8:	1	⊅ .	1	1		1	•	0.3:	14.5:	1	1		!	i	
Tennessee	: 17.1:	6.0	. F t	<u>ે</u>	1	1		::	••	5.9	ı	: 26.2:	1.5	1	2.7	
Texas	.2.	1	~:	6.0	: 0.1	\lambda	1	••	 	17.7:	0.7	: 51.5		: 9.0 :	1	
Virginia	90.9:	1	1	1	1	1	. 6.1	••	••		1	2.0	1	1	1.0	1
United States .	: 23.7:	2	2.1	.2	: 2	2	1.4	••	2	16.9:	٥.	: 42.8:	: 12.1	CI.	⊅.	

Table 12. - Proportionate use of specified systems of assessing charges for ginning and wrapping upland cotton, by States, season 1930-31

							*			-			
	Ginning charge including bagging	charge	inclu	dine be		••	20 20 20 20 20 20 20 20 20 20 20 20 20 2	Ginning charge	90	not including bagging	e baggin	and ties	ies
		•		4		rt.: Toll :	1,0	•		ď	1		Toll
State	Per bale	æ	r cwt.	Per cwt. lint:	seed	per	rer bale	: Per cwt.	rt. lint:	Reed	eed cotton		per
•	Picked: Snaps		: Picked: Snaps	aps	Picked	• ••	.Picked	: Picked: Snaps		Picked: Snaps	naps :	Sled-:	Beed
	cotton: and			ınd :	cotton	ä	: cotton	:cotton: and		cotton	and:	: pep	cotton
	7/ : 00111	: bollies: 1/		: DOLLIES:	J		7	7/	: DOILIES:	7	: DOILLES:	•	
	Pct.: Pct.	••	Pct. :	Pot. :	Pct.	. Pet. :	Pot.	Pct.	Pct.	Pct. :	Pct. :	Pot.	Pct.
••	••	••	••	••		••	••	••	••	••	••	••	
Alabama	94.1: -		••		ı	: 1.1 :	1	. 8.4	1		1		1
Arizona			••		1	1	1	1	1	100.0:	1	1	1
Arkansas	11.7: -	••	. 4.	1	1	: 1.	1	: 5.7 :	1	78.0:	0.7:	••	≒ 0
California:			••		1	1	1	1	1	100.0:	1		1
Florida	58.5: -	••	••		1	1	1	: 41.5 :	1		1		1
Georgia	34.0:	••	••		1	. 9.6 :	1	: 54.9 :	1		1		1.5
Loui stana	2.2: -		••	1	1	1	1	: 87.5 :	 ગ	10.3:		1	1
Mississippi	14.0: -	••	••	1	1	: 2	1	: 1.6 :	1	8h.4s	1		1
Missouri			••		1	••	1	1	1	81.3:	18.7:	••	1
New Mexico	1	••	••	1	1	•• ••	1	·· 1	1	93.4:	9.9		1
North Carolina:	- :1.68		••	1	1	: 5.6 :		1.8:	1	 1	••		2.9
Oklahoma		••	••	1	1	1	1	1	1	52.9:	47.1 :		1
South Carolina:	82.2: -	••	 ≠.	1	1	1	: 0.3	: 1.71:	1	1	1		1
Tennessee	15.9: 0.	o.7: む	. o. Of	0.1:	1	 	1	3.6 :	1	5η·9:	1.6:	••	3.0
Texas	1 #.	••	. 7.	. 7.	رار ال	1	٠. ش	: 20.0:	0.5	53.5:	23.1:	. 9.0	1
Virginia	9,46	•••	••	••	1	. 3.3 :	1	1	1	1.5:	1	1	9.
United States .:	28.0: 2	•	1.8:	٧.	2/	1.6:	2	: 19.1 :	. 1.	38.3:	10.1:	.2	#
7 - 4 - 4 - 4 - D	1 A Q		יייים ר	- worker		+00 00+	Tong by	-					

Compiled in the Bureau of Agricultural Economics from data collected from ginners.

1/ May include snaps and bollies where a differential rate is not provided for these types of seed cotton.

2/ Less than one-tenth of one percent.

Table 13. - Proportionate use of specified systems of assessing charges for ginning and wrapping upland cotton, by States, season 1931-32

							Sy	System of		assessing charges	rges						1
••	Ginni	ng cha	rge inc	Ginning charge including begging and	beggine	and t	ties	-:	1	Ginning	ing cha	charge not		including bagging	ing and	ties	1 1
State	Per bale] e	Per cwt.	t. 11nt:		Per cwt.	•• •• ••	Toll :: per	Per bale	Per cwt.	wt. lint	ıt	m	Per cat.	 g	Toll	
•• •• ••	Picked: Snaps cotton: and	3	Picked cotton		:Picked: Snaps :cotton: and	Snaps	0	seed :: cotton:	otton:	:Picked:Picked:Snaps cotton:cotton: and l/	Snaps	Sled-	Sled-:Picked: Snaps ded :cotton: end	Snaps	Sled-	cwt. seed cotton	
	Pct.	Pet.	Pct.	Pct.	PH	Pct.	••	Pct.	Pct.	Pot.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	1
••	••	••	••		••	••	••	••	••	••			••	••	••		
Alabama	86.6:		0.6:	1			••	3.5::	1	9.0:	1	1	1	1	1	0.3	
Arizona	1.	1	1	1	ı 		••	::	1	1	1	1	: 100.0:	1	1		
Arkansas	4.5:	1	t.9:	1	1		••	::	1	2.1:	1	1	: 87.0:	0.5	1	1.0	
California:	1-	1	1	1	1		••	::	1	1	1	1	: 100.0:	1	1	1	
Florida	62.4:	1	1	1	1		••	::	1	37.6:	1	1	1	1	1	1	
Georgia	34.3:	1	1	1	1		••	9.4::	1	54.1:	1	1	1	1	1	2.2	
Louistana	1.1:	1	1	1	ı 		••	::	1	86.3:	ો	1	9.5	1	1	3.1	
Mississippi	18.2:		1	ı	ı 		••	ः व्य	1	3.5:	1	1	: 76.8:	1	1	1.5	
Missouri	 I	1	1	ı	1		••	::	1	1	1	1	95.9	μ,1	1		
New Mexico :		1	1	ı	1		••	::	1		1	1	93.5	6.5	1	ı	
North Carolina:	91.5:	1	1	ı	1	ı 	••	3.0::	1	2.0:	1	1	1	1	1	3.5	
Oklahoma	 I	1	1	1	1	•	••	::	1	1	1	ı	: 53.7:	46.3	1	i 1	
South Carolina:	82.8:	1	1.1:	1	1		••	::	0.7:	15.4:	1	1	1	1	1	ı	
Tennessee	27.3:	. 9.0	46.8:	0.3	1	••	••	::	1	1.1:	1	1	: 21.2:	6.	1	1.8	
Texas	7	1	.6.	.7	0.3	તો	••	::	 	16.6:	2.1	2)	: 52.8:	25.4	0.7:	•	
Virginia	94.6	-		1	1	1	••	4.9::	1	1		1	1		1	5	
United States .:	22,8:	2/:	2.5:	5٠	.1:	/S	••	1,2::	.1:	16.6:	.7	2/	: 43.0:	11.7	,2;	6.	1
										The state of the s	The same of the sa	- Constitution	and the state of t			-	t

Compiled in the Bureau of Agricultural Economics from data collected from ginners.

| May include snaps and bollies where a differential rate is not provided for these types of seed cotton.
| Less than one-tenth of one percent.

Table 14. - Proportionate use of specified systems of assessing charges for ginning and wrapping upland cotton, by States, season 1932-33

						System of	_ [_ [assessing charges	harges				
	સ્ક	nning c	ing charge inclu	Ginning charge including begring and ties		<u>.</u>	Ginning ch	charge not	t including		begging and	1 ties	
State	Per	Per cw	nt	Per cwt. seed cotton		Per bale	Per	cwt.	lint	рее я	Per cwt.	•• •• ••	Toll per
•• ••	Picked cotton	Picked: Picked: Snaps cotton: cotton: and	ps	Picked cotton	cwt. geed cotton	Picked: cottor	Picked: Picked: Snaps cotton: cotton: and	Sneps and bollies	:Sled-	Picked: Snaps: cotton: and	Snaps and bollies	Sled- ded	cwt. seed cotton
	Pct.	Pc t.	; ;	Pct.	Pc t.	Pct.	Pct.	Pct.	Pet	Pc t.	Pc t	Pct.	Pct.
Alabema	87.0	0 10.	ı	0.1	ο. Τ		7.2	1		1	ı	1	٥ • ١
Arizona	ı	1	1	1	1		1	1		:100.0:	ı	1	1
Arkansas	6.3	4.2	•		1		9.4	1		: 83.9:	0.1		6.
California		,	ı	1	1		1	1		:100.0:	1	1	ı
Florida	73.8	ı	1	1			26.2			··	1	1	
Georgia	36.9	1	1	1	: 11.0	::	: 49.5	1			1	1	2.6
Louisiana	2	1	1	1	1		: 82.7	ો	1	: 16.7 :	1	1	⊅ .
Mississippi	14.2	1	1	1	1		7.8	1		: 77.1:	1		ڻ
Missouri	1	1	•	1	1		1	1		:100.0:	1,	1	ŧ
New Mexico	1	1	1	1	1	1		1		: 93.5 :	ارج	1	I.
North Carolina	91.7	1	1	1	3.0		1.2	1	ı 	1	ı	1	t•1
Oklehoma	ı	1	1	1	1		1	1		: 1.84 :	51.3	1	ı
South Carolina	87.4	1.0:	1	1	1	1.0	: 10.6	ı	ı 	1	1	1	ı
Tennessee	34.1	31.2:	1	1	1		1.2	1	1	: 31.7 :	1	1	1.8
Texas	ú		0.3	2.	1		: 11.3	ν. α	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	: 51.4:	32.1	. 6.0	1
Virginia	95.6	1	1	1	0.4		1	1	1	1	1	1	⊅ .
All other			E		•		1		1	100.0:	1	1	ı
United States:	21.8	: 1.9:	٦,	٠.	1.2		: 13.4	1.0	: 2/	: 43.7 :	15.8	.3:	9.

Compiled in the Bureau of Agricultural Economics from data collected from ginners. $\frac{1}{2}$ May include snaps and bollies where a differential rate is not provided for these types of seed cotton. $\frac{2}{2}$ Less than one-tenth of one percent.

Table 15. - Proportionate use of specified systems of assessing charges for ginning and wrapping upland cotton, by States, season 1933-34

				to the state of th	System	940	assessing charges	herges					
•	Ginnine	Ginning charge including bagging and	includi	ng bage	ing and	tle	Gir	Ginning charge	arge not	including bagging	, bagging	and	ties
	Per		••	Per cw	cwt.		. Per	••			Per cwt.	••	Toll
4	bale	Per cwt	Per cwt. lint:	seed co	cotton	per	bale	Per	Per cwt. lint:		seed cotton		per
	Picked:	: Picked: Snaps		: Picked: Snaps	Snaps		: Hcked	1	: Picked: Snaps	: Picked: Snaps	naps :	Sled-:	seed.
	cotton:	cotton: and : 1/ : boll	Ø	cotton: and : 1/ :boll:	: and :	O	cotton:		n: and :	cotton 1/	and :	ded:	cotton
	Pct.	Pct.:	Pct. :	Pct.	Pet.	Pct.	Pet.	. Pet	Pct.	Pct.:	Pot.	Pct.	Pct.
Alabama	ф.89	10.6:		1	1	6.6	. 2.1	0.6	ا :: ::	2/:			1
Arizona	1	1	ŧ	1	ı		1	•••	1	: 100.0:	1	1	i
Arkansas	14.1:	7.4:	1	1	1	1		: 12.0	- :0	: 66.5:	1		1
California	1	1	1	1	•	1	!	•••		: 100.0:	1		1
Florida	81.2:	1	1	1	1	1		: 18.8:	1		••		4
Georgia	35.3:	19.5:	1	1	1	: 17.8:	1	: 21.5:	- ::	: 6.2:	1		1
Louisiana	1		1	1	1	1		: 75.0	0.1	: 54.3:	1		9.0
Mississippi	10.9:	1	1	1	ı	1		. 2.		: 86.5:	••		1
Missouri	1	1		1	1	1		•••	1	: 100.0:	1	1	1
New Mexico	1	1	1	1	1	1			1	: 100.0:	1		1
North Carolina:	59.5	.2.		15.4:	1	2.0:		2.6	1	: 14.5:	1	1	4.0
Oklahoma	1	1	1	1	1	,		•••	1	: £.0:	51.0:	1	1
South Carolina	97.1 :	••	1	1	1			2.9	- :6	1	1		1
Tennessee	16.7:	18.6:	1	1	ı	1	•	••	3: -	: 62.0:	1		⊅. ℃
Texas	: ੜ.	1.1:	ડો ::	.ੜ	ત્રા	1	त्रा	: 13.8:	3: 1.8	:6,49 :	16.9:	0.7:	•
Virginia	53.1:	1	••	1	1	2.0:	1	••		:6. 4. ::	1	1	1
All other	1	1	1	1	*	1	1	•	••	: 100.0:		•	1
United States:	19.7:	:0°†	2	1.0 :	ત્ર	2.3:		: 11.5:	9: :6	. 49.3:	10.8:	٠.	<i>⇒</i> •
A 13 1 41 D	1 1 0												*

Compiled in the Bureau of Agricultural Economics from data collected from ginners.

1/ May include snaps and bollies where a differential rate is not provided for these types of seed cotton.

2/ Less than one-tenth of one percent.

Table 16. - Proportionate use of specified systems of assessing charges for ginning and wrapping upland cotton, by States, season 1934-35

											13	1					
	••					Sy	System of		assessing charges	ng c	harges						
	Ginni	Ginning charge including bagging and ties	a tra	cluding	DBC	ing and	1 ties		:: Ginn	ing		not	laclud.	including bagging and ties	ging a	nd t	ies
	Per	••			••	Per	: Toll	••	Per	••				Per	Per cwt.	••	Toll
	: bale	: Per c	CWt.	Per cwt. lint	*CW	:cwt. seed	: per	** 54	: bale	••	Per cwt. lint	t. 1.	lnt	seed.	cotton	 u	per
40	•0	••			•	cotton	CW	••	••	••				••		••	cwt.
	:Picked	: Mcked	S	:Snaps	ů.	Picked	: seed	••	: Picked	••	Picked	Sp.	Snaps	: Picked	Picked: Snaps	••	seed
	:cotton	: cotton		and	ŭ 	cotton	: cotton	• •	: cotton	••	cotton	B	and	:cotton: and	n: and	••	cotton
	: 1/	: 1/	q:	:bollies	••	1/	••	••	: 1/	••	1/	• po	bollies	. 1	:bollies	e8:	
	Pet.	: Pet.	••	Pot.	••	Pct.	. Pet.	ادد	Pct.	••	Pot.	<u>A</u>	Pct.	Pot.	Pct.	••	Pet.
	••	••	••		••		••	••	••	••		••		••	••	••	
Alabama	†•9† :	: 13.0		1	••	1.0	6.0 :	•••	: 1.	••	25.8	••		: 11.8		••	1
Arizona	1	1	••	•	••	1	1	••		••	1	••		1.76:	2.3	••	8
Arkansas	. 2.8	ተ •ተ	••	1	••	1	1	••	••	••	2.1	••		: 87.3	: 3.1	••	0.3
California	1	1	••	1	••	1		••	••	••	1	••		97.0	3.0	••	ŧ
Florida	: 9.3	: 2.7		1	••	2.7		••	•	••	80.6	••		Z.4 :		••	1
Georgia	9.7 :	: 10.1	••	•	••	٠.	: 7	: 1	ή°1 :	 ≱	7.07	••		2.2		••	ો
Louisiana	1	1	••	1	••	1		••		••	75.0	••		25.0		••	1
Mississippi	: 7.5	τ.	••	1	••	1	1	••	••	••	†• †	••		88.0		••	•
Missouri	1		••	1	••	1		••	1	••	1	••	1	: 83.3	: 16.7	••	1
New Mexico	1	1	••	1	••	1	1	••		••	1	••		: 95.0	5.0	••	•
North Carolina	36.6	: 20.1	••	1	••	18.6		••	π. π	 ≯	2.0	••		: 15.3	1	••	ı
Oklahoma	1	••	••	1	••	1	1	••	1	••	1	••		: 33.0	: 67.0	••	1
South Carolina	: 51.2	••	••	1	••	1	1	••	: 3.1	1 :	31.0	••		8.5		••	ı
Tennessee	: 11.5	••	••	1	••	1	1	••	•	 N	ત્યું.	••		: 77.7	1	••	1
Texas	2.	\display	••	ત્રા	••	1	1	••	<i>ا</i> ن	থ	12.8	••	. 0.1	: 65.3	: 20.2	••	ઓ
Virginia	: 11.9	••		1	••	1	1		1	••	5.4	••		141.0	1	••	•
United States	: 13.0	: 5.0		2/	••	1.3	6.		•	 00	20.2	••	-2	: 50.3	: 8.3	••	2

Compiled in the Bureau of Agricultural Economics from data collected from ginners by this Bureau and the

1/ May include snaps and bollies where a differential rate is not provided for these types of seed cotton.
2/ Less than one-tenth of one percent. Agricultural Adjustment Administration.

Table 17. - Proportionate use of specified systems of assessing charges for ginning and wrapping upland cotton, by States, season 1935-36

	ng and ties	••	1101 .	••	:Sled- : CWt.	d . seed . cotton	Pct. : Pct.	••			- : 1.0	1 	1 1			ا ت	1						- : /3		
	not including bagging and	Dorom	200 00++00	ا د	Picked: Snaps : Sl	cotton: and : ded 1/ :bollies:	••	••	1	••	6: 2.7:	6: 18.0:				1	2 : 21.4 :	3: 10.7:	••	4: 61.6:	••	••	32.2:		
	harge not in	••	cwt. lint:	•		: lies.	Pct. : Pct	••	1	- : 95.	- : 83.	- : 78.		- 2	- : 27.	- : 81.	- : 78.	- 89.		т 38.4		- : 59.0	0.7 : 50.	1	
charges	Ginning charge	••	: Per	nare :	Picked: Picked: Snaps	cotton; cotton; and 1/ 1/ 1/ 1/ 1/ 1/	t. : Pet.	••	. 9.6		1			4.0 : 60.9 :	- : 72.3 :	- : 3.5 :		••	1.2 : 4.6 :		7.9: 10.6:		- : 13.9 :	 1	
of assessing charges	ties ::	••	••	:Cotton- ::	: seed :	••	. Pct.	••	••	0.2	1	3.4 ::	••	1	::	::	***	••	1	::	::	::	:: !	1	
System	r bagging and	Per cwt.: m.1	••	cotton : per	••	cotton seed 1/ cotton	Pct. : Pct.	••	- : 0.5	' 1 1	1			1.1 : 6.3					18.9 : 1.3		1	·			
	Ginning charge including bagging		Per cwt. lint: seed		: Picked: Snaps :	cotton: and :(••	20.9: - :	1	5.1: - :			10.4 : - :					11.3: -:	 	••	3. t . 6	1.4: 1.1:	6.5: -:	
	Ginning cha	••	Per bale : Pe		Picked: Snaps : Pic	lies	Pct.	••	1			 		·· 1	··	1	 1	1	 	 I	 I	: 0.1:	 1	1	
••	••	••	. Pe	••	: Picke	: cotton: and : 1/ : bol	: Pct.	••	0.69		9.7 :			15.0	•	9.41 :	1	••	a: 62.5		а: 73.2	••	7.	53.5	
			ς; α+α+α+α+α+α+α+α+α+α+α+α+α+α+α+α+α+α+α+	0000					Alabama	Arizona	Arkansas	California	Florida	Georgia	Louisiana	Mississippi .	Missouri	New Mexico	North Carolina	Oklahoma	South Carolina .	Tennessee	Texas	Virginia	

Compiled in the Bureau of Agricultural Economics from data collected from ginners. $\frac{1}{2}$ May include snaps and bollies where a differential rate is not provided for these types of seed cotton. $\frac{2}{2}$ Less than one-tenth of one percent.

Table 18. - Estimated average charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1928-29

					Sy	System of	assesi	assessing charges	ges						Separate
	: Gir	ining cl	Ginning charge including bagging and	luding)agging	and ties		: Ginni	Ginning charge		scluding	not including bagging	and	ties	charge
S ta ta	: Per bale	ale	: :Per cwt. lint :	lint:	Per cwt.	utton :	Toll per	Per bale	Per cwt.	lint:	Per	Per cwt.	•• ••		per pattern
	.Picked:	Spane	:Picked: Snaps :Picked: Snaps :Picked: Snap	Snaps	Picked:	Snare	cwt.	Picked Picked:	- 1	Snape	:Picked:	Spare :	Sled-:	cwt.	tor
	cotton: and	and :	cotton: and	end :	cotton:	80	seed	:cotton:cotton:	cotton:		cotton:	and	ded	seed	and ties
	: Dol. :	Dol. : Dol.	[임 [임	<u>Dol.</u> : <u>Dol</u> .	100 101	Dol. :	Pet.	:: <u>Dol</u> ::	Dol. :	Do1.	<u>Dol</u> :	Dol. :	Dol. :	Pet.	<u>1001</u> .
41 chomo			•••	•	••	••	1		••••••••••••••••••••••••••••••••••••••	1			1	1	1 02
Arizona 2/		1 1		1 1	• •		1 1				04.0		• ••	•	00.0
Arkansas	5.年	ı	1.01:		1	. 1	7	1	. 86.	1	. 62·	0.40	1	1	1.59
California		1	1	1	1	1	. 1	1	1		.35 :	1	1	1	00.8
Florida	: 4.50 :	1	1	1	1	1	1	1		1	1	1	,	1.	
Georgia	: 4.31 :	ı	1	1	1	1	7	1	.57 :		1	1	1	#	1.24
Louisiana	: 4.97 :	ı	1	1	••	1	1	1	.72 :	0.75:	. 83	1	1	1	1.53
Wississippi	: 5.23 :	1	1	1	1	1	_		.65	1	. 28	••	1	1	1.94
Missouri	1	1	1	1	1	1	t	1	1	1	.31 :	.38:	1	1	1.69
New Mexico 2/	1	1	1	1	1	1	1	1	••	1	: 11.	1		1	1.75
North Carolina	: 4-13 :	1	1	1	1	1	٥	·· ··	.56 :	1	1	1	1	Ŋ	1.22
Oklahoma		1		1	1	1	1	!	••	1	.32:	.38:		•	1.47
South Carolina	: 3.57 :	t	. 6 1	1	1	1	1	:: 2.00:	65	1	1	· ·	1	ı	1.17
Tennessee	.: 4.85 :	7.91	: 76. :	1.13:	1	1	5	1	: ਨ	1	 ফ	÷.	1 2	Ŋ	1.57
Texas 2/	: 6.32 :	1	: 1.28 :	1.53:	°. ₹.	· ‡ · o	1	1	. 83	1.32:	.33 :	. .	: †:	ı	1.40
Virginia	: 4.77 :	1	1	1	1	1	9	1		•	.30	•	-	2	1.16
United States .: 4.30 :	: 4.30 :	7.91	7.91: 1.02:	1.53:	ः १११	: 14	5	:: 2.00 ::	: 77.	1.31:	.31:	.41 :	: ₹	#	1.47

Compiled in the Bureau of Agricultural Economics from data collected from ginners. 1/1 May include snaps and bollies where a differential rate is not provided for these types of seed cotton. 2/1 Includes service of sterilization of cottonseed in territory where pink boll worm control measures are in force.

Table 19. - Estimated average charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1929-30

Separate	charge	per pattern for	bagging and ties	Dol.		2.12	1.70			1.25	1.81	1.82	1.75	1.87	1.12	1.46	1.25	1.66	1.57	1.17	1.55
8:			cat.:b seed :cotton:	Pct. :	1				1	 ≠	1	1	1	1		1	1		1	5 :	
	and ties	•• •• ••	Sled-	<u>Dol</u> .	1	1	1	·· I	1	1	1	1	1	1	1		1	1	0.40	1	: 017.
	egging	Per cwt. ed cotton	Snaps : and : bollies:	Dol. :	1	1	0.45:		1	1	1	1	.38 :	.50	1	.38 :	1	 ₹.	: 017.	1	.39:
	luding	Per	:Picked: cotton:	<u>Dol</u> .:	1	0.35:	: ଫ	.31:	1		 ফ	. 28 :	.31:	 ≢.	1	.32:			.32:	.30:	.30 :
	not inc	: lint:	Snaps : P and : c	<u>Dol</u> :	1	1	1				0.73:		1		1	1			1.51:	1	1.51:
80	charge	Per cwt.	icked: Sotton:	Dol . :	0.57		. 36.		.82 :	.55 :	.73 :	.61			.57 :		٠. ت		.81	1	. 07.
sessing charges	: Ginning charge not including begging	Per: 1	Ficked : Ficked: cotton: cotton:	<u>Dol</u> <u>1</u>	 I	1			1	1	1	1	1	•• •	1	1	2.00 :	1	3.30:	 I	3.17 :
C/A		Toll :: per ::		Pct. ::	: ::	::	:: /	::	::	::	::	:: _	::	::	::	::	::	::	::	5	5 ::
em of a	ев						1						1					1	: 64.0		: 6h:
Svstam	Ginning charge including bagging and ti	Per cwt. seed cottor	03 O	<u>Dol</u> : 1				1											0.46:		: 94.
	ng bagg	int:		<u>Dol</u> : <u>D</u>											••			••	1.46:0		1.46:
	includi	: Per cwt. lint:	:Picked: Sr :cotton: s	Dol.			1.01:										. 4Ç•	••	••		. 99
	charge	Pe	Snaps :Pi and :co	<u>Dol</u> <u>D</u>			1			••								8.86:		••	8.86:
	Ginning	Per bale	:Picked: Snaps :Picked: Snaps :cotton: and :cotton: and :l/ :bollies: 1/ :bollies	Dol. : D	4.39 :	1	5.23 :		: 19:	.15:	5.02:	.10:			. 69.		.51:	65 : 8	5.06:	¥.73:	
			Cot	ă 		•	5	:	± ::::	 	5.	5.	••	••	3	•	3.	<u>†</u>	••	:	es .: 4.16
		State				2/	8	nia	•	•	na	ippi		100 2/	North Carolina	В	South Carolina	Tennessee		Virginia	United States
		S			Alebama	Arizona 2/	Arkansas	California	Florida	Georgia	Louisiana	Mississippi	Missouri	New Mexico 2/	North C	Oklahoma	South C	Tenness	Texas 2/	Virgini	Unit

Compiled in the Bureau of Agricultural Economics from data collected from ginners.

| May include snaps and bollies where a differential rate is not provided for these types of seed cotton.
| Includes service of sterilization of cottonseed in territory where pink boll worm control measures are in force.

Table 20. - Estimated average charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1930-31

Compiled in the Bureau of Agricultural Economics from data collected from ginners. $\frac{1}{2}$ May include snaps and bollies where a differential rate is not provided for these types of seed cotton. $\frac{2}{2}$ Includes service of sterilization of cottonseed in territory where pink boll worm control measures are in force.

Table 21. - Estimated average charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1931-32

Separate	charge:	per pattern for	bagging and ties	. <u>Dol</u> .	0.86	1.50	: 1.13	1.50	95	±¢. :	1.10	1.80	1.43	1.15	69.	: 1.15	: .81	1.35	: 1.11	: .75	: 1.13
		Toll	seed cotton	Pct.		1	70	•	1	ر ا	ıΩ	۵	1	1	ι.	1	1	יי	1	5	5
	ties		Sled-	Dol.	1	1	1	1	1	1	1		1	1	1	1	1	1	0.25	-	.25
	bagging and	Per cwt. ed cotton	Snaps and bollies	Dol.	1	1	0.32:	1	••		1		.35 :	.30 :	1	.31:		4¢.	.56	1	. 28 :
	ng bagg	Per	Ficked: cotton:	<u>Dol</u> :		0.30 :	.25	.25 :			.19 :	.13 :	٠. د	.28 :		.25 :	1	: ₹	: †?•		.23 :
	including	•• •• ••	Sled-c	<u>Dol</u> : :		1	1	1		1		1	1	1		1	1	1	1.00:	1	1.00:
	ge not	cwt. lint	Snaps and bollies:	<u>Dol</u> .:		1	1	1	1	1	0.50:	••		1		1	1		.35		.35 :
rges	Ginning charge	Per cwt		<u>Dol</u> . :	0.39		.63	1	.50:	.36 :	.50 :	.54.	1	1	. .		.37 :		.57 :		: <i>L</i> ħ.
assessing charges	Ginni	Per bale	Picked: Picked: cotton:	Dol. : I	 1	1	1		1	1							1.72:	 - ₁	3.00:		2.49 :
			seed cotton	Pct. :: 1	:: :: 9	::	::	::	::	:: 9	::	::	::	::	::	::	::	::	::	5 ::	9 :: 9
System of	es		1 00	••	•• ••	••	••	••	••	••	••	••	••	••	••	••	••	••	 o	••	. 6
Sys	nd ti	Per cwt.	Snaps and bollies	[임 [임	1	t	1	1	ı	1	t	1	1	1	1	ŀ	1	1	0.33	1	.39
	eging a	Per cwt.	:Picked: cotton:	[임]	1	1	1	1	1	1	1	1	1	1	1	1		1	0.39:	-	.39
	ding ba	. lint:	Snaps :F and :c	•		1	1	1	1	1	1	1	1	1		1		1.00:	: 66.		: 66.
	e inclu	Per cwt. lint:	icked:	. Dol. :	0.41	1	: 11:	1	1	1	1	1	1	1	1		: 84.	.75 :	.83	•	: 92.
	Ginning charge including bagging and ties	lle :	1: Snaps :Picked: Snaps n: and :cottom: and :bollies: 1/:bollie	<u>Dol</u> .:			1		1		1	1		1	1		1	7.14:		1	7.14:
	Ginnir	Per bale	Picked: Snaps : Picked: Snaps : Picked: Snaps : cotton: and : cotton: and : ld : bollies: 1/ : bolli	. <u>Dol</u> .	2.76	1	3.26:	1	3.32:	2.63:	3.07 :	3.34 :			2.55:		2.59:	3.62:	4.15:	3.41 :	2.78 :
	۱ ۱		<u>ω</u> υ	••	· ·	•	•	:	•	•	•	:	••	••	•	:	A	:	•	••'	United States .: 2.78:
		State			od od	B 2/	as	rnia		et	ana	sippi .	ri	New Mexico 2/	North Carolina	ma	South Carolina	Tennessee	/s̄	Virginia	ted Sta
					Alabama	Arizona 2/	Arkansas	California	Florida	Georgia	Louisiana	Mississippi	Missouri	New Me	North	Oklahoma	South	Tennes	Texas 2/	Virgin	Uni

Compiled in the Bureau of Agricultural Economics from data collected from ginners.

| May include snaps and bollies where a differential rate is not provided for these types of seed cotton | 2 | Includes sterilizing of cottonseed in territory where pink boll worm control measures are in force.

Table 22. - Estimated everage charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1932-33

	charge	ern r	Jul	and ties			و	25	9	, IC	'n	2	. 	7	#	#	. 99	8	Q	-	7	50	σ	1
0	sdec cha	per pattern for	bagging		DOI 1001		0.7	1,2	1.0	1.1	80	₩.	1.1	1.1	1,3	1.1	9.	1.0	.7	1.3	1.0	5	1,09	
		Toll per	cwt.	seed :	Pct.	••	70		ري 		1	 	ι.	ייי	. 1	1	77	. 1	1	رح •	. 1	٦.	1	
	ties	•• •• •	Sled-		Dol.	••				1						1					0.25:	••		
	1	ton	••	q		••	••	••		••	••	••	••	••	••		••		••	••	••	••	••	
	gging	Per cwt.	Snaps	and hollies	임	•	1	1	0.30	1	1	1	1	1	1	.30		.30		ı	.28	1	1	ľ
	including bagging and	Per	Picked: Snaps	cotton: and	[8]		1	0.30	.22	.22	1	1	, 42.	.21	• 56	28	1	.25	•	tη2•	, 2 ^t	1	.28	
		•• •• •	Sled-	••••	Do1. :	••	1	1	1	1	1	1	1	1		1	1	1	1	1	1,00:	1	1	
charges	rge not	. lint	"	α α	Dol.	••		1					0.58 :	••				••			. 16.	••		
assessing charges	Ginning charge	Per cwt.	Picked: Picked: Snaps	cotton: cotton: and		••	0°,00		72:	••	50:	[1]	••	53 :	••		39:	••	38 :	: 69	. 69	••		
of asse	Ginni	·· ·· ·	sed: P1c	on: cot	l. : Dol	••		••		••	•	•	•	•	••	••	••	••	•	•	•	••	••	
9 H		Per bale	Picl		100	••	•••	•••	•	•	•	•	••	••	•••	•••	•••	•••	:: 2.05	•••	••	•••	•	
Syst		Toll	cwt.	seed	Pct.		و	ı	ı	1	ı	9	1	1	ı	1	7	1	1	ı	ı	_	1	
	uding 8	r cwt.	Picked:		Dol. :	••	0.20				1		1		1				1		.35 :	1		
	incl d tie	nt. E	'' 			••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	••	
	ing charge inclu baceing and ties	rt. 11	Snaps	and bollies	Do 1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1.01	1	1	
	Ginning charge including bagging and ties	Per cwt. lint: seed :cotton	lcked	otton	DO1.		0,00	1	-87	ı	1	ı	1	1	ı	1	1	ı	.45	• 76	. 97	ı	1	
	947	Per bale	Picked: Picked: Snaps	cotton: cotton: and	Dol. :	••	2.84:		4.05 :		3.26:	2.77 :	3.50:	3.53 :	1	1	2,72:		2,56:	3.34 :	3.79:	3,10:	1	,
1	ⁱ	•• •• ••	III4	•••••		••	••	•••	••	•	•	:	•	•	•	••	••••	•••••••••••••••••••••••••••••••••••••••		••	••	•	••	1
		State					•	<u></u>	•	ia		•	a	pp1		% 2/ %	roline	•	roline		•	•	H	
		84					Alabama	Arizona 2/	Arkansas	California	Florida	Georgia	Louisiana	Mississippi	Missouri	New Mexico 2/	North Carolina	Oklahoma	South Carolina	Tennessee	Texas 2/	Virginia	All other	

Compiled in the Bureau of Agricultural Economics from data collected from ginners.

| May include snaps and bollies where a differential rate is not provided for these types of seed cotton.
| Includes sterilizing of cottonseed in territory where pink boll worm control measures are in force.

Table 23. - Estimated average charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1935-34

- 1					System	of	essing	assessing charges					Separate
Ginning charge including bagging and	96	includ	ling bag	ging and	ties	Gin	Ginning charge	arge not	includi	including bagging	and	ties	charge
Per : Per cwt. lint:	ct E	11nt	Per cwt.	cwt.	Toll	Per	•• •• •	Per cwt. lint		Per cwt.	d	Toll per	per pattern for
Picked Picked Snaps	Sna	pa	Picked: Snaps	Snaps	CWt.	Picked	d Picke	Picked: Snaps	Picked Snaps		Sled-	CWt.	bagging
cotton cotton and $\frac{1}{2}$ bollies.	and:	168	cotton 1/on	and bollies.	cotton	:: cotto	cotton; cotton; and	ntand : bollies	$\frac{\text{cotton:and}}{1}$	and bollies	ಧಿಕಿಧ	cotton	and
Dol. : Dol. : Do	의	<u> </u>	Dol.	Dol.	Pct.	: <u>Dol</u>	<u>Dol</u>	Dol.	<u>Do1</u>	Dol.	<u>Dol</u>	Pet.	Dol.
••	••		••	••		••	••	••	••	••	••	••	
3.15:0.58:	••	ı	1	1	7	:: 1.67	: 0.55		: 0.25	1	1	1	0.72
••	••	1	1	1	L	::		1	. 25	1	1	1	1.8
4.18: .96:	••	ı		1	ı		19. :		35.	1	1	1	1.1
••	•	1	1	1	1	::			25	1	1	1	1.14
· · · · · · · · · · · · · · · · · · ·	••		1	1	ı	::	. 56		1	1		1	.71
3.83 : .75 :	••	1	1	1	و		24.		: .25	1	1	8	.91
 1	••	1	1		ı	::	9.	: 0.71	62.	1		ري س	1.18
h.01: -:	••		1		ı	::	9.		: .27	1		1	1.13
1	••	1	1		ı	::		1	: .30	1	1	1	1,10
 1	••	1	1	1	1	::	•••		.30	1		1	1.06
. 21 : · 64 :	••	1	: 0.25 :	1	9	:: 1.50	55	1	ħ2°:	1	1	ις ···	.77
	••	1	1	1	1	::		1	. 20	0.23		1	1.00
••	••		1	1	ı	::	: .53			1	1	1	02.
••	••		1		1	::	9.	••	25	1		ic 	1,01
: 46. :		1.00	3.	0.42:	ı	:: 3.50	: .77	. 89	#£. :	. 34.	0.28	1	1.06
3.84: - :	••	1	1	1	~	::		1	: .25	1	1	1	•73
 I	••	ı	1	1	ı	1		1	• 29	1	•	1	1.04
United States: 3.43 : .78 : 1		1.00:	. 27 :	. ⁴²	9	:: 1.63	₫.	. 89	. 29	•29	.28		1.02

Compiled in the Bureau of Agricultural Economics from data collected from ginners. $1/\sqrt{2}$ May include snaps and bollies where a differential rate is not provided for these types of seed cotton. $2/\sqrt{2}$ Includes sterilizing of cottonseed in territory where pink boll worm coutrol measures are in force.

Table 24. - Estimated average charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1934-35

					System o	of asses	assessing charges	ges			
••		Ginning bag	ng charge includ bagging and ties	Ginning charge including bagging and ties		Gluning	ng charge	not	including bagging and	nd ties	charge
State	Per bale	Per cw	Per cwt. lint:seed:cott	Per cwt. seed	Toll	Per bale	: Per cw	cwt. lint :	Per cwt.	Toll per	pattern for
•• ••	Picked: cotton:	Picked cotton	8	Picked cotton	seed cotton	Picker cotton	Picked: Picked cotton	Snaps and bollies	Picked: Snaps cot ton: and	seed cotton	bagging and ties
••	<u>1001</u> .	<u>Dol</u> .	<u>Do1</u> .	1	Pct.	: <u>1001</u>	: 1001.	. <u>1001</u> :	<u>Dol.</u> : <u>Dol</u> .	: Pct.	<u>1001</u> .
Alabama	3.68	0.82	1	0.31	יני	3.00	: 0.61	1	- : tiso	1	0.93
Arizona 2/	. 1	1	1	1	. 1			1	30 : 0	1	1.03
Arkensas	4.73:	1.02:	1	1	1		386	·· I	.25: .31	•• ••	1,22
California	1	1	1	1	1			1	••		1.25
Florida:	5.00	. 88	ı	. 28	ı	1	. 68	·· I	••	ı ••	76.
Georgia	3.73:	: 92.	1	. 30	ιν.	:: 2.83	09.	1	- : \d.	 ت	1.05
Louislana	1	1	1	1	ı	1	. 68	1	. 28 : -	ı 	1,22
Mississippi	t. 07 :	.93 :	1	1	1	1	70	1	••	1	1.31
Missouri	1	1	1	1	1	!		1	.32 : .34	1	1,45
New Mexico 2/:	••	1	1	1	1		1	1	••	1	1.22
North Carolina:	3.56 :	. 82	1	. 29	1	3.49	: .61	1	- : t ₁ 2•	1	.82
Oklahoma	1	1	1	1	1		1	1	.28 : .35	1	1.23
South Carolina:	3.52 :	. 56 :	1	1	1	:: 3.17	. 59	1	.25: -	1	17.
Tennessee	4.14	. 68.	1	1	1	3.50	1.00	1	••	1	1.33
Texas 2/	5.19:	1.12:	1.65	1	1	1: 4.50	. 89	: 0.95:	·33 : ·34	٠٠ ٣	1,23
Virginia	3.85:	.95	1	1		1	70	1	••		1.11
United States:	3.54:	. 80 :	1.65	• 29	5	3.25	: .67	: .95 :	ηξ· : 12·	: 5	1.19

Compiled in the Bureau of Agricultural Economics from data collected from ginners by this Bureau and the Agricultural Ad justment Administration.

1/ May include snaps and bollies where a differential rate is not provided for these types of seed cotton. 2/ Includes sterilizing of cottonseed in territory where pink boll worm control measures are in force.

Table 25. - Estimated average charges for ginning and wrapping upland cotton under specified systems for assessing charges, by States, season 1935-36

:Separate	: charge	per pattern for	bagging and ties	: <u>Dol</u> .	. 0.87	: 1.25	1.35	: 1.26	1	.39	: 1.38	: 1.33	: 1.50	: 1.25	80	66.	: .83	: 1.24	: 1.22	1	: 1.22
g charges	ies	Tol1	seed cotton	Pct.		1	 ت	1	1	1	1	رح ح	1	1	1	1	1	1	1	•	5
	ties :: Gi	Per cwt.	Sled-	<u>Dol</u>	1	1	1	1	1	1	1		1	1	1	1	1	1	0.33	1	.33
			Snars and and bollies:	<u>Dol</u> .		0.31:	.36 :	.32 :		1	1	1	.34 :	 ₹.	1	.28 :	1	. 4c.	.32 :	1	.32 :
		Pe. seed	Picked: cotton:	<u>Dol</u> :		0.30 :	. 23	.25 :	1	.25 :	. 25 :	. 28 :	.33 :	.33 :	.30:	. 25 :	. 20	.26 :	.32 :		. 23 :
		; lint:	Snaps: Pand scapelines:									1					1	1	1.25:	••	1.25:
		Per cwt.	cked: S tton:	<u>Dol</u> :	0.62					.51:	: 72.	.56 :			94.		: /†.		.83 :		. 99
		Per : Pe	Picked: Picked: cotton: cotton:	<u>Dol.</u> : <u>De</u>	0					.10:					.25 :		.25:				2.53 :
Bessing		<u>н</u> о	•• •• ••	:: :	• ••	::	••	::	••	::	::	::	::	••	::	::	.:	••	••	••	::
m of ass		Cotton seed		: Pct.		: 100	1	. 100	1	1		1	: 100		1	1					. 100
System		Toll per	seed cotton	Pet.	٠ آت	1				 ح							1				. 5
		Per cwt.: seed : cotton :	Picked cotton	DO1.	ı	1	1	t	1	0.00	1	1	ı	1	.26	1	1	1	1	•	.28
		: lint:	12 B	Dol	1		1	1	1	1	1	1	1	1	1	1		1.80	1.80:	1	1.20:
		: Per cwt. lint: seed : cott	icked: otton:	: <u>Dol</u> :	0.70		.98 :	1		. 69.				1	: 11:		.80	.56 :	1.89	1.00 :	. 92.
		16 :	Snaps: P and control should be shoul	<u>Do1</u> :					1		1							5.29:	••	1	5.29:
		Per bale	Picked: Snaps :Picked: Snaps :cotton: and :cotton: and :bollies:	<u>Dol</u> :	3.24 :		ት . ት.		8	3.28 :	1	**			.30:		3.14 :	••	••	4.03:	3.46:
	State etate etate				•		•	rnia:	la 5		ana	Mississippi h	Missouri	New Mexico 2/:	North Carolina: 3	•	South Carolina: 3	Tennessee 3			United States .: 3
	Š				Alabama	Arizona 2/	Arkansas	California	Florida	Georgia .	Louisiana	Missis	Missou	New Me	North	Oklahoma	South	Tennes	Texas 2/	Virginia	Uni

Compiled in the Bureau of Agricultural Economics from data collected from ginners.

| Lay include snaps and bollies where a differential rate is not provided for these types of seed cotton.
| Lay includes sterilizing of cottonseed in territory where pink boll worm control measures are in force. Also includes \$7\$ per hundred weight in New Mexico as compensation for the ginner's service in connection with the Bankhead Cotton Control Act.

Rate Conversion Formulae

Formulae for conversion of charges for ginning and wrapping cotton, assessed by various systems, to a common base; that is, rate per 500-pound gross-weight bale

System of assessing charge	Formula							
Per bale including bagging and ties	$R = \frac{500 \text{ r}}{\text{w}}$							
Per bale not including bagging and ties	$R = \frac{500 (r + b)}{w}$							
Per hundredweight seed cotton including bagging and ties	$R = r_{1}N$							
Per hundredweight seed cotton not including bagging and ties	$R \equiv r_1 N + b$							
Per hundredweight lint cotton including bagging and ties	$R = 5r_2$							
Per hundredweight lint cotton not including bagging and ties	$R = 5r_2 + b$							
Seed cotton toll including bagging and ties	$R = \left[\frac{\ln}{100}\right] \left[p\left(\frac{500}{n}\right)\right]$							
Seed cotton toll not including bagging and ties	$R = \left[\frac{tn}{100}\right] \left[p\left(\frac{500}{11}\right)\right] + b$							
Percent of cottonseed given for ginning including bagging and ties	$R = P\left\{S\left[\left(n - \frac{n}{20}\right) - 478\right]\right\}$							

R = rate for ginning and wrapping per 500-pound gross-weight bale.

r = rate per running bale.

r₁ = rate per hundredweight seed cotton.

r2 = rate per hundredweight lint cotton.

w = average weight of bales.

b = separate charge for bagging and ties.

N = number of hundredweight of seed cotton required for a 500-pound gross-weight bale

n = number of pounds of seed cotton required for a 500-pound gross-weight bale.

t = pounds toll per hundredweight seed cotton.

P = State average farm price per pound for cottonseed, period September to December, inclusive.

p = State average farm price of cotton during months of September to December, inclusive.

S = percent of seed cotton given for ginning and wrapping.

